

# **Fundamentos de Programação**

António J. R. Neves  
João Rodrigues

Departamento de Electrónica, Telecomunicações e Informática  
Universidade de Aveiro

# Summary

- List comprehensions
- Dictionary and set comprehensions.
- Generator expressions.

# Building lists

- Quite often, we need to create collections with elements related to those in another collection.
- For example: create a list of the squares of the values in lst.

```
lst = [1, -3, 2]
lst2 = []                      # init result with empty list
for v in lst:                  # loop over original list:
    v2 = v**2                  #       compute a new value
    lst2.append(v2)            #       append it to result
print( lst2 )                  #-> [1, 9, 4]
```



- Another example: create a list of uppercase versions of the strings in lst.
  - What do you need to change in the code above?
  - These programs always follow the same basic pattern.

# List comprehensions

- Python provides a more concise way to produce such lists.

```
nums= [4, -5, 3, 7, 2, 3, 1]
nums2 = [ v**2 for v in nums ]
        #-> [16, 25, 9, 49, 4, 9, 1]
args = ['apple', 'dell', 'ibm', 'hp', 'sun']
args2 = [ s.upper() for s in args ]
        #-> ['APPLE', 'DELL', 'IBM', 'HP', 'SUN']
```



- These are **list comprehensions**: expressions that generate lists by operating on the elements of other collections.
- Here the **for..in** clause is part of the expression. Do not confuse it with the **for** statement.

# List comprehensions (2)

- List comprehensions may also include **if** clauses.

```
args3 = [ s.upper() for s in args if len(s)>3 ]  
#-> ['APPLE', 'DELL']
```

- List comprehensions may include multiple **for..in** and **if** clauses.

```
[(a,b) for a in [1,2] for b in nums if b>3*a]  
#-> [(1, 4), (1, 7), (2, 7)]
```



# Dictionary and set comprehensions

- We may also create dictionaries by comprehension.

```
args = ['apple', 'dell', 'ibm', 'hp', 'sun']  
d = { a: len(a) for a in args }  
     #-> {'apple': 5, 'ibm': 3, 'hp': 2, ...}
```



- Other variations are possible too, of course.
- Sets may also be defined by comprehension.

```
s = { 2+x for x in [3, 4, 5, 4] }
```



# Generator expressions

- **Generator expressions** are identical to the expressions used in list comprehensions, but enclosed in ( ).
- They create an object that generates items only *if and when needed*, unlike list comprehensions. This strategy is called *lazy evaluation* and can save memory and time.
- They're convenient as arguments to some functions.

```
nums = [4, -5, 3, 7, 2, 3, 1]
sum(x/2 for x in nums if x%2==0)    #-> 3.0
all(x>0 for x in nums)                #-> False
```

- We may use generator expressions to create other types of sequences, for example.

```
tuple(v for v in nums if v<3)    #-> (-5, 2, 1)
```